Cornwallis Academy
Ambitions for All

SMILE
SUCCESSFUL | MOTIVATED | INSPIRED | LEARNING | EXCITED & ENGAGED

Year 12 A Level Physics

3.2 Particles and Radiation

Learning Objectives

By the end of this unit, students should be able to:

- **Constituents of the Atom:** Identify and calculate the specific charge of ions and nuclei. Describe the role of the strong nuclear force and why it is necessary for nuclear stability.
- **Stable and Unstable Nuclei:** Explain the processes of alpha and beta-minus decay, write balanced nuclear equations, and evaluate the historical prediction and discovery of the neutrino.
- **Particles, Antiparticles, and Photons:** Define the properties of antiparticles. Explain the processes of pair production and annihilation, and calculate the minimum photon energy required or released using E = hf and E = mc2
- **Particle Interactions:** Identify the four fundamental interactions, their exchange particles (gauge bosons), and represent these interactions using Feynman diagrams.
- **Classification of Particles:** Categorize particles into hadrons (baryons and mesons) and leptons. Recall and apply conservation laws (charge, baryon number, lepton number, and strangeness) to determine if a particle interaction is allowed.
- **The Photoelectric Effect:** Explain the photoelectric effect, define work function and threshold frequency, and use Einstein's photoelectric equation to solve problems.
- **Collisions of Electrons with Atoms:** Describe excitation, ionization, and fluorescent tubes, explaining how electron energy levels lead to line emission and absorption spectra.
- **Wave-Particle Duality:** State the de Broglie hypothesis and explain the experimental evidence for the dual nature of matter and radiation (e.g., electron diffraction).

What previous knowledge is required?

Students will build upon concepts from **GCSE Combined Science / Physics** (specifically Atomic Structure, Radioactivity, and Waves), including:

- The basic structure of the atom (protons, neutrons, electrons) and the concept of isotopes.
- The characteristics of alpha , beta , and gamma radiation, including their penetrating powers and ionizing abilities.
- Basic decay equations and the concept of half-life.
- The electromagnetic spectrum, basic wave properties (v = f\lambda), and the concept of reflection/refraction.
- The definition of an ion and basic electrical charge.

How will this term's content help with future learning?

Section 3.1 is the bedrock for several advanced topics later in the AQA course:

- **Section 3.2 (Waves and Optics):** The introduction of photons, E=hf, and wave-particle duality directly bridges into progressive/stationary waves, interference, and diffraction.
- **Section 3.5 (Electricity):** The concept of electron volts , work function, and the movement of electrons between energy levels underpins the understanding of potential difference, current, and resistivity.
- **Section 3.8 (Nuclear Physics):** The strong nuclear force, E=mc2, and mass-energy equivalence introduced here are vital for understanding binding energy, nuclear fission, and nuclear fusion in Year 13.
- **Option Modules (e.g., Astrophysics or Turning Points):** Duality, quantum phenomena, and classification of particles are heavily relied upon if the school selects Turning Points in Physics or Astrophysics.

Common Misconceptions

- **Specific Charge:** Students often confuse the specific charge of a *nucleus* with the specific charge of an *atom* or *ion*, forgetting to omit or include electron masses.
- **The Strong Nuclear Force (SNF):** Students frequently believe the SNF is purely attractive. They miss the crucial concept that it becomes highly repulsive at separations below 0.5 fm to prevent the nucleus from collapsing.
- **Photon Energy vs. Intensity:** In the photoelectric effect, students often wrongly assume that increasing the *intensity* (brightness) of light will increase the kinetic energy of the emitted photoelectrons, rather than just increasing the *number* of photoelectrons emitted per second.
- **Photon vs. Electron Collisions:** Students often confuse photon absorption (which is an all-or-nothing event where the photon vanishes) with electron-atom collisions (where an incident electron can transfer *some* of its kinetic energy and bounce off).
- **Feynman Diagrams:** Students often treat the axes of Feynman diagrams statically or confuse the direction of antiparticle arrows (if using space-time conventions) with the actual direction of motion.
- **Wave-Particle Duality:** Students sometimes think an electron "rides on a wave" rather than the electron *itself* exhibiting wave-like behavior during propagation and particle-like behavior during interaction.

National Curriculum / Specification

- **3.1.1 Particles:**
- 3.1.1.1 Constituents of the atom (Protons, neutrons, electrons, isotopes, specific charge).
- 3.1.1.2 Stable and unstable nuclei (Strong nuclear force, alpha/beta decay, neutrinos).
- 3.1.1.3 Particles, antiparticles and photons (Rest energy, annihilation, pair production).
- 3.1.1.4 Particle interactions (Four fundamental forces, gauge bosons, Feynman diagrams).
- 3.1.1.5 Classification of particles (Hadrons, leptons, baryons, mesons, quarks, and antiquarks).
- 3.1.1.6 Conservation laws (Charge, baryon number, lepton number, strangeness, and quark combinations).
- **3.1.2 Electromagnetic Radiation and Quantum Phenomena:**
- 3.1.2.1 The photoelectric effect (Work function, threshold frequency, Einstein's equation).
- 3.1.2.2 Collisions of electrons with atoms (Ionization, excitation, line spectra, fluorescent tubes).
- 3.1.2.3 Wave-particle duality (De Broglie wavelength, electron diffraction).

3.3 Waves

Learning Objectives

By the end of this unit, students should be able to:

- **Progressive and Stationary Waves:** Distinguish between transverse and longitudinal waves. Define and calculate displacement, amplitude, wavelength, frequency, period, phase, and phase difference.
- **Superposition and Stationary Waves:** Explain the formation of stationary waves on strings and in air columns. Define nodes and antinodes, and determine the harmonics of a vibrating string.
- **Interference:** Describe the conditions necessary for interference (coherence, monochromatic light). Explain and perform calculations using Young's double-slit experiment and diffraction gratings.
- **Diffraction:** Describe the diffraction of light through a single slit and explain the resulting intensity pattern.
- **Refraction and Fiber Optics:** Apply Snell's Law and calculate the critical angle for total internal reflection. Explain the structure and function of optical fibers, including the effects of material and modal dispersion.

What previous knowledge is required?

Students will build upon foundational concepts from **GCSE Combined Science / Physics** (specifically the Waves topic), including:

- The basic wave equation (v = f\lambda) and the definitions of frequency, wavelength, and amplitude.
- The fundamental difference between transverse and longitudinal waves (e.g., sound vs. electromagnetic waves).
- The basic phenomena of reflection and refraction, including light bending toward or away from the normal.
- An awareness of the electromagnetic spectrum and the constant speed of EM waves in a vacuum (c = 3.00 x 10^8 m s-1.

How will this term's content help with future learning?

Section 3.2 introduces mathematical and physical principles that are heavily utilized in Year 13 and optional modules:

- **Section 3.7 (Fields and their Consequences):** Phase, oscillations, and wave properties translate directly into understanding alternating current (AC) and the sinusoidal variations in gravitational, electric, and magnetic fields.
- **Section 3.1.2 (Wave-Particle Duality):** The diffraction patterns studied in this unit (especially single-slit and gratings) are vital for understanding the historical significance of electron diffraction in proving that matter can behave like a wave.
- **Engineering and Astrophysics Options:** The deep dive into diffraction gratings, spectral lines, and optical fiber dispersion forms the exact theoretical basis required for astronomical spectroscopy and modern telecommunications engineering.

Common Misconceptions

- **Stationary vs. Progressive Waves:** Students often think energy is transmitted along a stationary wave because the string is moving. They struggle to realize that energy is trapped within nodes and that all points between adjacent nodes vibrate in phase (unlike progressive waves).
- **Path Difference vs. Phase Difference:** Students frequently confuse these two terms. They struggle to convert a physical distance (path difference in meters or fractions of lambda) into an angle (phase difference in radians or degrees).
- **Single-Slit vs. Double-Slit Patterns:** When discussing diffraction through a single slit, students often mistakenly expect a uniform fringe pattern like Young's Double Slit, forgetting that the central maximum in a single-slit pattern is twice as wide and significantly brighter than the subsidiary maxima.
- **Refractive Index and Speed:** Students often misremember how light behaves when entering a denser medium, assuming a "higher refractive index" means light travels faster, rather than slower (n = c/v).
- **Dispersion in Optical Fibers:** Students regularly confuse *material dispersion* (caused by different wavelengths of light traveling at different speeds) with *modal dispersion* (caused by different paths taken by light entering at different angles). They often use the terms interchangeably in exam long-answer questions.

National Curriculum / Specification

- **3.2.1 Progressive and Stationary Waves:**
  - 3.2.1.1 Progressive waves (Transverse/longitudinal, phase difference, wave equation).
  - 3.2.1.2 Longitudinal and transverse waves (Polarization and its applications, e.g., Polaroid sunglasses, TV aerials).
  - 3.2.1.3 Stationary waves (Nodes, antinodes, fundamental frequency, and harmonics).
- **3.2.2 Refraction, Diffraction and Interference:**

- 3.2.2.1 Refraction at a plane surface (Refractive index, Snell's Law, Total Internal Reflection, optical fibers, and dispersion).
- 3.2.2.2 Interference (Coherence, Young's double-slit experiment, fringe spacing equation w = \lambda D / s).
- 3.2.2.3 Diffraction (Single-slit pattern, diffraction grating equation d \sin\theta = n\lambda).

Required Practicals Covered in this Section:

- **Required Practical 1:** Investigation into the variation of the frequency of stationary waves on a string with length, tension, and mass per unit length of the string.
- **Required Practical 2:** Investigation of interference effects to include the Young's slit experiment and interference by a diffraction grating.

3.4 Electricity

Learning Objectives

By the end of this unit, students should be able to:

- **Current, Potential Difference, and Resistance:** Define electric current as the rate of flow of charge (I = \Delta Q / \Delta t) and potential difference as the work done per unit charge (V = W / Q). Define resistance and state Ohm's law.
- **Component Characteristics:** Plot and interpret current-voltage (I-V) characteristics for an ohmic conductor, a semiconductor diode, and a filament lamp. Explain these shapes in terms of charge carriers and temperature.
- **Resistivity:** Define and calculate resistivity (rho = RA / L). Describe how the resistance of thermistors (NTC) and Light-Dependent Resistors (LDRs) changes with environmental conditions.
- **Circuit Rules (Kirchhoff's Laws):** Apply Kirchhoff's first law (conservation of charge) and second law (conservation of energy) to solve complex series, parallel, and mixed DC circuits.
- **Potential Dividers:** Design and analyze potential divider circuits, including the use of variable components (thermistors/LDRs) to create sensor circuits.
- **Electromotive Force and Internal Resistance:** Distinguish between electromotive force (emf) and terminal potential difference. Calculate internal resistance (r) and "lost volts" using varepsilon = I(R + r).

What previous knowledge is required?

Students will build upon core electrical principles from **GCSE Combined Science / Physics** (specifically the Electricity topic), including:

- The definition of current, potential difference, and resistance, alongside basic equations (V = IR, P = IV, E = Pt).
- The qualitative differences between series and parallel circuits (how current and voltage split or stay the same).
- The standard circuit symbols for cells, switches, resistors, variable resistors, filament lamps, diodes, thermistors, and LDRs.
- How to correctly connect an ammeter (in series) and a voltmeter (in parallel) within a circuit.

How will this term's content help with future learning?

Section 3.3 transitions students from simple circuit rules to complex network analysis, which is vital for Year 13:

- **Section 3.7 (Fields and their Consequences):** The concept of potential difference as work done per unit charge (V = W/Q) is fundamental to understanding electric potential and capacitance (C = Q/V) in gravitational and electric fields.
- **Section 3.8 (Nuclear Physics):** The concept of electron volts (eV) and accelerating charges through potential differences is used constantly when calculating the kinetic energy of alpha particles, beta particles, and electrons in nuclear reactions.
- **Practical Skills (CPAC):** This unit heavily refines electrical diagnostic skills, proper use of digital multimeters, and data linearization techniques (graphing terminal PD against current to find internal resistance), which are heavily assessed in Paper 3.

Common Misconceptions

- **Current Consumption:** Students frequently believe that current is "used up" as it travels around a circuit, resulting in less current returning to the power supply. They struggle to internalize that current is the *rate of flow* of a continuous loop of charge.
- **Potential Difference at a Point:** Students often talk about the voltage "at a specific point" in a circuit. They must be constantly corrected to understand that potential difference exists *across* two points.
- **Filament Lamp I-V Gradient:** Students often look at the flattening curve of a filament lamp I-V graph and assume that because the gradient is decreasing, the resistance is decreasing. They fail to realize that resistance at any point is V/I (the reciprocal of the secant line gradient), which is actually increasing as temperature increases.
- **Emf vs. Terminal PD:** Students commonly assume that the voltage printed on a battery is the voltage the circuit components will always receive. They struggle to grasp that as current increases, more voltage is dropped across the internal resistance ("lost volts"), lowering the terminal PD.
- **Potential Dividers vs. Parallel Circuits:** When analyzing potential dividers, students often fail to realize that connecting a load or voltmeter with low resistance in parallel with one of the resistors alters the total resistance of that section, thereby changing the voltage distribution of the entire circuit.

National Curriculum / Specification

- **3.3.1 Current Electricity:**
  - 3.3.1.1 Basics of electricity (Current, PD, charge, electron flow, and P = VI = I2R = V2/R).
  - 3.3.1.2 Current–voltage characteristics (Ohmic conductors, filament lamps, diodes).
  - 3.3.1.3 Resistivity (Resistivity equation, temperature effects on metals, NTC thermistors, and LDRs).
  - 3.3.1.4 Circuit-nodes and loops (Kirchhoff's first and second laws, series and parallel rules for R and I).
  - 3.3.1.5 Potential divider (Potentiometers, sensor circuits using LDRs/thermistors).
  - 3.3.1.6 Electromotive force and internal resistance (emf, terminal PD, lost volts, and power matching).

Required Practicals Covered in this Section:

- **Required Practical 3:** Determination of the resistivity of a wire using a micrometer, ammeter, and voltmeter.
- **Required Practical 4:** Determination of the internal resistance and emf of a cell by measuring terminal potential difference and current.

3.4 Mechanics and Materials

Learning Objectives

By the end of this unit, students should be able to:

- **Vectors and Scalars:** Distinguish between vector and scalar quantities. Resolve a single vector into two perpendicular components and combine coplanar vectors to find a resultant vector.
- **Balanced Forces and Moments:** Draw free-body diagrams. State and apply the principle of moments (Moment F x d). Define a couple and apply the condition for equilibrium (zero resultant force and zero resultant moment).
- **Linear Motion (SUVAT):** Describe and analyze motion along a straight line using displacement-time, velocity-time, and acceleration-time graphs. Derive and use the kinematic equations for uniform acceleration.
- **Projectile Motion:** Analyze the independent vertical and horizontal components of a projectile moving under gravity to solve two-dimensional trajectory problems.
- **Newton's Laws of Motion:** Apply Newton's three laws of motion to real-world scenarios. Use F = ma in situations involving multiple forces, inclines, lifts, and connected bodies (e.g., pulleys).
- **Momentum and Impulse:** Define linear momentum (p = mv) and impulse (I = F Delta t = Delta p). Apply the principle of conservation of momentum to elastic and inelastic collisions and explosions.
- **Work, Energy, and Power:** Calculate work done (W = Fs cos c theta), kinetic energy (Ek = ½ mv2), and gravitational potential energy (Delta Ep = mg Delta h). Define power as the rate of energy transfer (P = Delta W / Delta t and P = Fv) and calculate mechanical efficiency.
- **Bulk Properties of Solids (Materials):** Distinguish between elastic and plastic deformation. Apply Hooke's law (F = k Delta L) and calculate the energy stored in a stretched string (elastic strain energy).
- **The Young Modulus:** Define and calculate tensile stress, tensile strain, and the Young modulus. Interpret stress-strain graphs to identify the limit of proportionality, elastic limit, yield point, and ultimate tensile strength.

What previous knowledge is required?

Students will build upon extensive foundational physics and mathematics from **GCSE Combined Science / Physics** and **GCSE Mathematics**, including:

- Basic definitions of speed, velocity, acceleration, weight, and work done.
- Interpreting the gradients of distance-time graphs and velocity-time graphs, as well as calculating the area under a velocity-time graph.
- Hooke's Law (F=ke) and the basic concept of elastic potential energy.
- Vector concepts from math (Pythagoras' Theorem and basic trigonometry: sine, cosine, tangent).
- The qualitative concept of momentum and conservation of momentum in simple collisions.

How will this term's content help with future learning?

- **Section 3.6 (Further Mechanics):** Vector resolution, equations of motion, and Newton's laws are directly extended to analyze circular motion and Simple Harmonic Motion (SHM).
- **Section 3.7 (Fields and their Consequences):** Projectile motion equations are mirrored exactly when analyzing the parabolic trajectories of charged particles passing through uniform electric fields.
- **Section 3.8 (Nuclear Physics):** The conservation of momentum and mechanical energy calculations underpin the analysis of alpha particle scattering and nuclear recoil during radioactive decay.
- **Engineering Contexts:** The materials and Young Modulus content is foundational for any student pursuing civil, structural, or mechanical engineering at the university level.

Common Misconceptions

- **Resolving Vectors:** Students often mechanically memorize that horizontal is always cos theta and vertical is always sin theta. They struggle when the reference angle is given relative to the vertical, or when analyzing components parallel and perpendicular to an inclined plane.

- **The Definition of a Moment's Distance:** Students regularly use the direct distance from the pivot to the force, rather than the *perpendicular* distance from the pivot to the line of action of the force.
- **Constant Velocity vs. Zero Force:** Influenced by daily intuition, students frequently believe a net force is required to keep an object moving at a constant velocity (violating Newton's First Law). They struggle to realize that a car moving at a steady 60mph has a resultant force of zero.
- **Action-Reaction Pairs (Newton's Third Law):** When looking at a book resting on a table, students often label the upward normal reaction force and the downward weight as a Newton's Third Law pair. They must be explicitly corrected that these are two forces acting on the *same* object (equilibrium), whereas N3 pairs must act on *different* objects and be of the *same type* of force.
- **Negative Acceleration vs. Deceleration:** Students often treat deceleration and negative acceleration as identical. They struggle to grasp that an object moving in a defined negative direction with a negative acceleration is actually speeding up.
- **Stress-Strain vs. Force-Extension:** Students regularly confuse Force-Extension graphs (which depend on the specific dimensions of the sample) with Stress-Strain graphs (which plot intensive material properties independent of sample size). They often incorrectly try to read the Young Modulus directly as the gradient of a Force-Extension graph.

National Curriculum / Specification

- **3.4.1 Force, Energy and Momentum:**
  - 3.4.1.1 Scalar and vector quantities (Resolving, additions, equilibrium conditions).
  - 3.4.1.2 Moments (Principle of moments, center of mass, couples).
  - 3.4.1.3 Motion along a straight line (Graphs, SUVAT equations).
  - 3.4.1.4 Projectile motion (Independent vertical and horizontal components).
  - 3.4.1.5 Newton’s laws of motion ($F=ma$, terminal velocity, drag forces).
  - 3.4.1.6 Momentum ($p=mv$, conservation, elastic/inelastic collisions, explosions, impulse).
  - 3.4.1.7 Work, energy and power (W = Fs cos theta, Ek, Ep, efficiency).
- **3.4.2 Materials:**
  - 3.4.2.1 Bulk properties of solids (Hooke's law, elastic/plastic limits, tensile/compressive strain energy).
  - 3.4.2.2 The Young modulus (Stress, strain, calculation, and experimental determination).

Required Practicals Covered in this Section:

- **Required Practical 5:** Determination of the Young modulus of a metal wire. *(Often completed alongside testing alternative materials like copper or nylon).*

3.5 Electricity

Learning Objectives

By the end of this unit, students should be able to:

- **Advanced Circuit Analysis:** Solve complex network problems using simultaneous equations derived from Kirchhoff's Laws. Analyze the charging and discharging indicators of cells.
- **Data Linearization and Graphing:** Apply the y = mx + c framework to non-linear physical relationships (e.g., transforming varepsilon = I(R+r) into a graph of V against I to find internal resistance).
- **Uncertainties and Errors:** Calculate absolute, fractional, and percentage uncertainties for single readings and repeated data. Combine uncertainties when multiplying, dividing, or raising quantities to a power.
- **Introduction to Circular Motion (Bridging Topic):** Define angular displacement (theta) and angular velocity (ω). Relate linear speed to angular speed (v = r omega).

- **Centripetal Acceleration and Force:** Explain why an object moving at a constant speed in a circular path is accelerating. Calculate centripetal acceleration (a = v2 / r = omega2 r) and centripetal force (F = mv2 / r = m omega2 r).

What previous knowledge is required?

- **From Section 3.3 & 3.4:** Mastery of Kirchhoff's laws, basic terminal potential difference equations, vector components, and Newton's centripetal tendencies (First Law).
- **From GCSE & AS Mathematics:** Rearranging complex algebraic equations, interpreting the gradient and intercepts of linear models, and using radian measure for angles (an essential transition from degrees).

How will this term's content help with future learning?

- **Section 3.6 (Further Mechanics):** The basic circular motion concepts introduced here immediately expand into vertical circular paths, banked tracks, and the study of Simple Harmonic Motion (SHM).
- **Section 3.7 (Fields and their Consequences):** Centripetal force equations are paired directly with gravitational and magnetic force formulas to derive planetary orbits, satellite trajectories, and the behavior of charged particles in cyclotrons (Bqv = mv2/r).
- **Paper 3 Assessment (Section A):** The rigorous treatment of uncertainties, error bars, lines of best/worst fit, and experimental design practiced here comprises 100% of the practical data analysis section in the final Paper 3 exam.

Common Misconceptions

- **The "Centripetal Force" Myth:** Students frequently treat centripetal force as a brand-new, independent force acting on an object (like gravity or friction). They must be repeatedly corrected to understand that "centripetal" is simply a *description* given to whichever real, physical force (e.g., tension, friction, normal contact) is currently pulling the object toward the center of its path.
- **Constant Speed means Zero Acceleration:** When analyzing uniform circular motion, students often argue that because the speed is constant, the acceleration must be zero. They struggle to decouple *speed* from *velocity*, forgetting that a continuous change in direction means a continuous change in velocity, which inherently requires an acceleration.
- **Combining Uncertainties:** When squaring a value (e.g., v2 in kinetic energy calculations), students frequently forget to *double* the percentage uncertainty, mistakenly thinking that multiplying a value by itself requires no adjustment to the error margin.
- **Line of Worst Fit:** Students often draw a line of worst fit that simply misses all the data points completely. They must be taught that it must pass through all error bars while having the maximum or minimum possible gradient relative to the line of best fit.

National Curriculum / Specification

- **Section 3.6.1 Circular Motion:**
  - 3.6.1.1 Uniform circular motion (Angular speed, omega = v/r = 2pi f).
  - 3.6.1.2 Centripetal acceleration (a = v2/r), and Centripetal force (F = m omega2 r).
- **Section 3.1 Personal Data and Practical Skills (Appendix):**
  - 3.1.2 Reaching conclusions (Graphing, calculating gradients, identifying systematic vs. random errors).
  - 3.1.3 Evaluating uncertainties (Absolute, percentage errors, combining uncertainties, drawing error bars).

Required Practicals/Skills Consolidated in this Block:

- **Required Practical 6:** Investigation of data alignment, calibration of apparatus, and execution of a mechanical or electrical system to minimize systemic errors. *(Often wrapped up as an end-of-year practical skills review).*